

L Number	Hits	Search Text	DB	Time stamp
1	433687	(optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 09:35
2	232639	(optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 09:35
3	8034	((optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)) and (stamp\$6 or emboss\$6 or master\$6)	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 09:36
4	1393	((optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)) and (stamp\$6 or emboss\$6 or master\$6)) and (resist\$1 or photoresist\$1 or photolaquer\$1 or photopolymer\$6)	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 09:36
5	77	((duty near2 cycle) or ratio or asymmetr\$6) and (((optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)) and (stamp\$6 or emboss\$6 or master\$6)) and (resist\$1 or photoresist\$1 or photolaquer\$1 or photopolymer\$6))	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 09:38
6	47	((duty near2 cycle) or ratio or asymmetr\$6) and (((optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)) and (stamp\$6 or emboss\$6 or master\$6)) and (resist\$1 or photoresist\$1 or photolaquer\$1 or photopolymer\$6))) and @ad<19980406	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 09:42
7	518	((optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)) and (stamp\$6 or emboss\$6 or master\$6)) and (resist\$1 or photoresist\$1 or photolaquer\$1 or photopolymer\$6)) and (tracking or tracks or groov\$4 or pregroov\$4)	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 09:42
8	361	((optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)) and (stamp\$6 or emboss\$6 or master\$6)) and (resist\$1 or photoresist\$1 or photolaquer\$1 or photopolymer\$6)) and (tracking or tracks or groov\$4 or pregroov\$4)) and @ad<19980406	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 09:43
9	334	((optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)) and (stamp\$6 or emboss\$6 or master\$6)) and (resist\$1 or photoresist\$1 or photolaquer\$1 or photopolymer\$6)) and (tracking or tracks or groov\$4 or pregroov\$4)) and @ad<19980406) not (((duty near2 cycle) or ratio or asymmetr\$6) and (((optical or laser or information) near5 (medium or media or disk\$1 or disc\$1)) and (stamp\$6 or emboss\$6 or master\$6)) and (resist\$1 or photoresist\$1 or photolaquer\$1 or photopolymer\$6))) and @ad<19980406)	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:12
10	2247261	(line\$1 or groove\$1 or pregroove\$1 or stripe\$4)	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:13
11	2456539	(line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:19
12	11528	(positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)	EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:19

14	15705	((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) and ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:18
13	39	((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)) and ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:20
15	5229959	(line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:19
16	28446	(positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 11:03
17	1772	((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)) and ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:25
18	4574	((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)) same ((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:21
19	473	((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)) same ((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) and (((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)) and ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:22
20	503058	((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) same (ratio or duty or narrow or thin or asymmetr\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 11:02
21	512760	((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating) same (ratio or duty or narrow or thin or asymmetr\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:29
22	21298	(fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 11:02
23	4533	((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating) same ((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:42
24	7	((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating) same ((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot))) same ((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:34

25	767	(((((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating) same (ratio or duty or narrow or thin or asymmetr\$6)) same ((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:34
26	92	(((((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating) same ((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot)))) and ((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:34
27	47	((((((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating) same ((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot)))) and ((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1))) not (((((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating) same ((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot)))) same ((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1)))) and @ad<19980406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:45
28	911	((mak\$4 or produce\$1 or form\$4) near5 (((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating)) same ((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:44
29	344	((((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) same (ratio or duty or narrow or thin or asymmetr\$6)) and ((mak\$4 or produce\$1 or form\$4) near5 (((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating)) same ((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 10:45
30	195	(((((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) same (ratio or duty or narrow or thin or asymmetr\$6)) and ((mak\$4 or produce\$1 or form\$4) near5 (((line\$1 or groove\$1 or pregroove\$1 or stripe\$4 or track\$1)) or grating)) same ((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (laser or beam\$1 or spot)))) and @ad<19980406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 11:03
31	5191	(fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (mask or photomask))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 11:08
32	537	((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (mask or photomask))) same (ratio or duty or narrow or thin or asymmetr\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 11:03

33	121	((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (mask or photomask))) same (ratio or duty or narrow or thin or asymmetr\$6)) and ((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 11:03
34	60	((fraction or portion or (less near5 width)) with ((shift\$4 or offset\$4 or translat\$6 or mov\$4) with (mask or photomask))) same (ratio or duty or narrow or thin or asymmetr\$6)) and ((positive or photosoluble or (exposed near3 (dissolved or soluble))) near6 (resist\$1 or photoresist\$1))) and @ad<19980406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 11:03